

# 2021

## Led Outdoor Light CATALOGUE



**Aern Industry Group Limited**

Web: [anerngroup.com](http://anerngroup.com)

Email: [group@anern.com](mailto:group@anern.com)

WhatsApp: +86 13570048098

# COMPANY PROFILE



## Anern Industry Group Limited

📍 F1, R&D Building, No.3 Guangpuxi Avenue, Science City, Guangzhou, China

Anern is a diversified enterprise providing scientific and technological innovation, energy applications, committed to the improvement of the living environment and international cooperation by energy-saving technologies, efficient lighting, and green energy solutions. As a leader in LED Lighting and Solar Applications. Anern insists on integrating the advanced technology and professional design into every solution and blending the best service with the highest quality products, aiming at each client's satisfaction.

*Anern Industry Group Limited*


Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098

## 01 LED Outdoor light

---

<b>02-1</b>	LED Flood Light	01
<b>02-2</b>	LED High Bay Light	04
<b>02-3</b>	LED Street Light	06






## AN-NFL08

### LED Flood Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-NFL08-50W	AC180-240V	50w	4500lm	>80
AN-NFL08-100W	AC180-240V	100w	9000lm	>80
AN-NFL08-200W	AC180-240V	200w	13500lm	>80
AN-NFL08-RGB-50W	AC100-240V	50w	4500lm	>80
AN-NFL08-RGB-100W	AC100-240V	100w	9000lm	>80
AN-NFL08-RGB-200W	AC100-240V	200w	13500lm	>80



Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098




## AN-IFL

### LED Flood Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-IFL-10W	AC85-265V	10W	800-900lm	>70
AN-IFL-20W	AC85-265V	20W	1600-1800lm	>70
AN-IFL-30W	AC85-265V	30W	2400-2700lm	>70
AN-IFL-50W	AC85-265V	50W	4000-4500lm	>70
AN-IFL-100W	AC85-265V	100W	8000-9000lm	>70
AN-IFL-150W	AC85-265V	150W	12000-13500lm	>70
AN-IFL-200W	AC85-265V	200W	16000-18000lm	>70
AN-IFL-300W	AC85-265V	300W	24000-27000lm	>70
AN-IFL-400W	AC85-265V	400W	32000-36000lm	>70
AN-IFL-500W	AC85-265V	500W	40000-45000lm	>70



Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098



## AN-TGD03

LED Flood Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-TGD03-160W	AC85-265V	160w	16000-17600lm	>80
AN-TGD03-240W	AC85-265V	240w	24000-26400lm	>80
AN-TGD03-400W	AC85-265V	400w	40000-44000lm	>80
AN-TGD03-500W	AC85-265V	500w	50000-55000lm	>80
AN-TGD03-800W	AC85-265V	800w	80000-88000lm	>80
AN-TGD03-1000W	AC85-265V	1000w	100000-110000lm	>80



Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098



## AN-UHL03

### LED High Bay Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-UHL03-1AC-100W (AC linear)	AC220V	100w	8000-9000lm	>70
AN-UHL03-1AC-150W (AC linear)	AC220V	150w	12000-13500lm	>70
AN-UHL03-1AC-200W (AC linear)	AC220V	200w	16000-18000lm	>70
AN-UHL03-1CE-100W (CE linear)	AC220V	100w	9000-10000lm	>70
AN-UHL03-1CE-150W (CE linear)	AC220V	150w	13500-15000lm	>70
AN-UHL03-1CE-200W (CE linear)	AC220V	200w	18000-20000lm	>70
AN-UHL03-2-100W (Isolated Driver)	AC100-240V	100w	9000-10000lm	>70
AN-UHL03-2-150W (Isolated Driver)	AC100-240V	150w	13500-15000lm	>70
AN-UHL03-2-200W (Isolated Driver)	AC100-240V	200w	18000-20000lm	>70
AN-UHL03-2CE-100W (CE Isolated Driver)	AC100-240V	100w	11000-12000lm	>70
AN-UHL03-2CE-150W (CE Isolated Driver)	AC100-240V	150w	16500-18000lm	>70
AN-UHL03-2CE-200W (CE Isolated Driver)	AC100-240V	200w	22000-24000lm	>70



Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098



## AN-UHL04

LED High Bay Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-UHL04-100W	AC85-240V	100w	11000lm	>70
AN-UHL04-150W	AC85-240V	150w	16500lm	>70
AN-UHL04-200W	AC85-240V	200w	22000lm	>70



Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098





### AN-SLH6

LED Street Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-SLH6-50W	AC85-265V	50w	5000-5500lm	>80
AN-SLH6-100W	AC85-265V	100w	10000-11000lm	>80
AN-SLH6-150W	AC85-265V	150w	15000-16500lm	>80
AN-SLH6-200W	AC85-265V	200w	20000-22000lm	>80



Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098



## AN-SLN02

LED Street Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-SLN02-40W	AC85-265V	40w	4000-4400lm	>80
AN-SLN02-60W	AC85-265V	60w	6000-6600lm	>80
AN-SLN02-80W	AC85-265V	80w	8000-8800lm	>80
AN-SLN02-100W	AC85-265V	100w	10000-11000lm	>80
AN-SLN02-150W	AC85-265V	150w	15000-16500lm	>80
AN-SLN02-200W	AC85-265V	200w	20000-22000lm	>80



Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098




## AN-SLC

### LED Street Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-SLC-30W	AC85-265V	30W	3000-3300lm	>80
AN-SLC-40W	AC85-265V	44W	4000-4400lm	>80
AN-SLC-50W	AC85-265V	50W	5000-5500lm	>80
AN-SLC-60W	AC85-265V	60W	6000-6600lm	>80
AN-SLC-80W	AC85-265V	80W	8000-8800lm	>80
AN-SLC-100W	AC85-265V	100W	10000-11000lm	>80
AN-SLC-120W	AC85-265V	120W	12000-13200lm	>80
AN-SLC-150W	AC85-265V	150W	15000-16500lm	>80
AN-SLC-200w	AC85-265v	200w	20000-22000lm	>80



Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098



## AN-SLM2

LED Street Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-SLM2-30W	AC85-265V	30	3000-3300lm	>80
AN-SLM2-50W	AC85-265V	50W	5000-5500lm	>80
AN-SLM2-80W	AC85-265V	80w	8000-8800lm	>80
AN-SLM2-100W	AC85-265V	100w	10000-11000lm	>80
AN-SLM2-120W	AC85-265V	120w	12000-13200lm	>80
AN-SLM2-150W	AC85-265V	150w	15000-16500lm	>80



Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098




## AN-SLD

### LED Street Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-SLD-20W	AC85-265V	20w	1800-2000lm	>80
AN-SLD-30W	AC85-265V	30w	2700-3000lm	>80
AN-SLD-50W	AC85-265V	50w	4500-5000lm	>80
AN-SLD-100W	AC85-265V	100w	9000-1000lm	>80
AN-SLD-150W	AC85-265V	150w	13500-15000lm	>80



Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098



## AN-SLD2

### LED Street Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-SLD2-20W	AC85-265V	20w	1800-2000lm	>80
AN-SLD2-30W	AC85-265V	30w	2700-3000lm	>80
AN-SLD2-50W	AC85-265V	50w	4500-5000lm	>80
AN-SLD2-100W	AC85-265V	100w	9000-10000lm	>80
AN-SLD2-120W	AC85-265V	120w	10800-12000lm	>80
AN-SLD2-150W	AC85-265V	150w	13500-15000lm	>80



Web: [anerngroup.com](http://anerngroup.com) | Email: [group@anern.com](mailto:group@anern.com) | WhatsApp: +86 13570048098

## **Anern Industry Group Limited**

Add : F1, R&D Building, No.3 Guangpuxi Avenue, Science City, Guangzhou, China

Web: [anerngroup.com](http://anerngroup.com)

Email: [group@anern.com](mailto:group@anern.com)

WhatsApp: +86 13570048098